

Video Brochures

Screen	Resolution	Aspect Ratio
10.1"	1024 x 600	16:9
7.0"	800 x 480	16:9
5.0"	480 x 272	16:9
4.3"	480 x 272	16:9
2.8"	320 x 240	4:3
2.4"	320 x 240	4:3

POS screens

Screen	Resolution	Aspect Ratio
10.1"	1024 x 600	16:9
7.0"	800 x 480	16:9
5.0"	480 x 272	16:9
4.3"	480 x 272	16:9

10" screens

1024 x 600	
Memory	256Mb, 512Mb, 1Gb, 2Gb, 4Gb
Battery option	1200MAH 1 hour 2000MHA 2 hours 3800MHA 4 hours
Speaker power	8 OHM 2W

7" screens

800 x 480	
Memory	256Mb, 512Mb, 1Gb, 2Gb, 4Gb
Battery option	500MAH 1 hour 1000MHA 2 hours 1500MHA 3hours 2000MHA 4 hours
Speaker power	8 OHM 2W

4.3" and 5" screens

480 x 272

Memory 256Mb, 512Mb, 1Gb, 2Gb, 4Gb

Battery option 450MAH 2 hours
750MHA 3 hours
1000MHA 4 hours
1200MHA 5 hours
2000MHA 9 hours

Speaker power 8 OHM 2W

2.4 & 2.8" screens

320 x 240

Memory 256Mb, 512Mb, 1Gb, 2Gb, 4Gb

Battery option 120MAH 1 hour
200 MHA 2 hours
380MHA 4 hours
500MHA 5 hours
1000MHA 12 hours

Speaker power 8 OHM 2W

Card Functions

Cards can be autostart on opening or have an on/off switch. Cards can work with just autostart or on/off, but can also be supplied with buttons for other functions.

These include individual video select buttons, play/pause, play/FF, pause/REW, volume up, volume down.

Printing

Cards are normally supplied with 4 colour printing and gloss or matt lamination as standard. Spot Colours, Spot UV, Foil Blocking, Embossing and other finishes are available. Cards can also be supplied in other materials.

Sizes

Cards come in a wide range of standard sizes and bespoke sizes can also be made for clients.

Batteries

All batteries are rechargeable. Standard battery life between charges is 1 hour on 2.4" and 2.8" cards and 2 hours on other cards. More powerful batteries can be specified on all cards. These can be recharged approximately 1,000 times but deficiency will increase through age. Shelf Life: When stored correctly, a fully charged battery in a card should stay charged for up to 3 months.

Recharging

The batteries in the cards can be recharge via the card's mini USB port., which can be connected to a computer's USB port or 5v charger. We recommend that we supply the USB cables with the cards to facilitate this.

Loading screen

As well as video content, cards can also be supplied with a loading screen which will come on for a second or two whilst the video is loading. This is supplied .FO.C.

Video content

Please supply us with your video content and we will optimise it for your cards. For best results please send us a high quality HD version of the video which is not too compressed.